

CABINET ACCESSORIES CATALOG

designed to be better.

ABOUT LEGRAND

Legrand is a global specialist in electrical and digital building infrastructures. Its comprehensive offering of solutions for use in commercial, industrial, and residential markets makes it a benchmark for customers worldwide. Legrand has a strong presence in North and Central America, with a portfolio of well-known market brands and product lines that includes Starline, C2G, Cablofil, Chief, Da-Lite, Finelite, Luxul, Middle Atlantic Products, Milestone AV, Nuvo, OCL, On-Q, Ortronics, Pass & Seymour, Pinnacle, Projecta, QMotion, Raritan, Sanus, Server Technology, Solarfective, Vaddio, Vantage, Wattstopper, and Wiremold.

CONTENTS

05 HORIZONTAL CABLE MANAGEMENT

12 EQUIPMENT SUPPORT

16 THERMAL MANAGEMENT

19 OVERHEAD RACKS

20 MOUNTING HARDWARE

22 GROUNDING KITS

POWER | KVM | BUSWAY | CABINETS | CONTAINMENT | CONNECTIVITY

DATA, POWER, CONTROL

At Legrand's Data, Power & Control Division we uniquely differentiate ourselves with an intense focus on customer requirements and challenges - responding to those needs with a complete catalog of premium-engineered, purpose-built offers. Each of our brands, including Ortronics, Raritan, Server Technology, and Starline, boasts a long history of solving difficult requirements with innovation and engineering.

With the world's largest R&D team focused solely on data center whitespace and digital building infrastructure solutions, Legrand's Data, Power, and Control Division offers IT and data center managers a true innovation partner. Our premium, best-in-class designs lead the industry across multiple product categories, while customers still retain the convenience and security of a single vendor.

Designed by Experts

- CDCD-certified account managers that consult with, not sell to, our clients
- Core capabilities in mechanical / electrical engineering, embedded systems (APIs, UX, UI), energy metering, thermal management, and data interconnectivity / standards
- Vast patent portfolio across multiple product categories

Reliability Built-In

- Global scale for supply chain, procurement, and support
- Deployed in nearly every major data canter in the world
- Trusted brands, battle-tested globally

For datacenter and data networking owners whose core business depends on scalable and efficient critical infrastructure, Legrand offers a complete and premium set of solutions optimized for your application.

Unlike market generalist, we offer only best of breed lines developed with a strong legacy of innovation and custom intimacy.

LEGRAND CABINET OFFERING


Legrand cabinets are designed to support cable and airflow management while providing an effortless installation to meet all network and server requirements. Legrand designs and manufactures a full range of market-leading cabinets for small edge, enterprise, hyperscale, cloud, and colocation data centers. In addition, Legrand offers the expertise and capability to develop purpose-built solutions for any installation—exceeding the most stringent requirements.

CABINET APPLICATIONS



LX-SERIES

Enterprise



T-SERIES

Colocation
Enterprise
Hyperscale



T6-SERIES

Colocation
Enterprise
Hyperscale



BARRACUDA

Broadcast
Cable Headends
Multiple-System
Operators (MSO)

HORIZONTAL CABLE MANAGEMENT

Cable Management is a key feature of any server or network cabinet solution. Understanding how cables will be managed in your environment is a crucial part of planning your data center. Legrand has comprised a wide variety of horizontal cable management solutions to choose from with the flexibility to be a great “day 2” addition to your environment.


SINGLE-SIDED HORIZONTAL MANAGER



MM6HM61RU



MM6HM62RU



MM6HM82RU



MM6HMF1RU




MM6HMF2RU



MM6HMF4RU



SHMC**



SHMC**W

Part Number	Description
MM6HM61RU	Mighty Mo 6 Horizontal Cable Management Panel (6) w/ Cover, Single, 1RU (19” EIA) x 6.76”D, Black
MM6HM62RU	Mighty Mo 6 Horizontal Cable Management Panel (6) w/ Cover, Single, 2RU (19” EIA) x 6.76”D, Black
MM6HM82RU	Mighty Mo 6 Horizontal Cable Management Panel (8) w/ Cover, Single, 2RU (19” EIA) x 6.76”D, Black
MM6HMF1RU	Mighty Mo 6 Horizontal Cable Management Panel (RU) w/ Cover, Single, 1RU (19” EIA) x 6.45”D, Black
MM6HMF2RU	Mighty Mo 6 Horizontal Cable Management Panel (RU) w/ Cover, Single, 2RU (19” EIA) x 6.26”D, Black
MM6HMF4RU	Mighty Mo 6 Horizontal Cable Management Panel (RU) w/ Cover, Single, 4RU (19” EIA) x 6.26”D, Black
SHMC1RU SHMC2RU SHMC3RU SHMC4RU	Single Sided Horizontal Cable Manager (RU) w/ Cover, Single, Various RU (19” EIA) x 7.31” D, Black
SHMC1RUW SHMC2RUW SHMC3RUW SHMC4RUW	Single Sided Horizontal Cable Manager (RU) w/ Cover, Single, Various RU (19” EIA) x 7.31” D, White


DOUBLE-SIDED HORIZONTAL MANAGER



MM6HM6D2RU



DHMC**



DHMC**W

Part Number	Description
MM6HM6D2RU	Mighty Mo 6 Horizontal Cable Management Panel w/ Cover, Double, 2RU (19"EIA) x 6.76"/6.33"D, Black
DHMC1RU DHMC2RU DHMC3RU DHMC4RU	Double Sided Horizontal Cable Manager (RU) w/ Cover, Single, Various RU (19" EIA) x 7.31" D, Black
DHMC1RUW DHMC2RUW DHMC3RUW DHMC4RUW	Double Sided Horizontal Cable Manager (RU) w/ Cover, Single, Various RU (19" EIA) x 7.31" D, White

HORIZONTAL FIBER MANAGER



HC2-FS-19-2



HC2-RR-19-2



HC2-RRS-19-2



HC2-TS-19-2

Part Number	Description
HC2-FS-19-2	Horizontal Fiber Manager, (2) - 2.25" Diameter Fiber Spools, 2RU (19" EIA) x 2.5"D, Black
HC2-RR-19-2	Horizontal Fiber Manager, (4) - 1/4 Turn Removable Cable Rings, 2RU (19" EIA) x 4.5"D, Black
HC2-RS-19-2	Horizontal Fiber Manager, (2) - .75" Diameter Spools and (3) - 1/4 Turn Removable Cable Rings, 2RU (19" EIA) x 4.5"D, Black
HC2-TS-19-2	Horizontal Fiber Manager, (2) - .75" Diameter Fiber Spools, 2RU (19" EIA) x 3"D, Black

CABLE MANAGEMENT PANELS




60400057



60400131



60400132



808004759



808004818



808004867



808044855



808045091



808045590



808045768

Part Number	Description
60400057	Cable Management Panel, (5) - 3″H Metal Rings, 2RU (19″ EIA) x 4″D, Black
60400131	Cable Management Panel, (5) - 1.7″H Metal Rings, 1RU (19″ EIA) x 3.5″D, Black
60400132	Cable Management Panel, (3) - 1.7″H Metal Rings and (2) - 2.25″W Metal Rings, 1RU (19″ EIA) x 2.5″D, Black
808004759	Cable Management Panel, (5) - 1.7″H Metal Rings, 1RU (19″ EIA) x 3.34″D, Black
808004818	Cable Management Panel, (5) - 3.95″H Metal Rings, 2RU (19″ EIA) x 4.8″D, Black
808004867	Cable Management Panel, (5) - 3.95″H Metal Rings, 2RU (19″ EIA) x 2.9″D, Black
808044855	Cable Management Panel, (5) - 2″H Metal Rings and and (24) - .9″W x 2.63″D Plastic Rings, 2RU (19″ EIA) x 4″D, Black
808045091	Cable Management Panel, (4) - 2″H Metal Rings, (4) - 2″W Metal Rings and (24) - .9″W x 2.63″D Plastic Rings, 1RU (19″ EIA) x 4.06″D, Black
808045590	Cable Management Panel, (5) - 1.7″H Plastic Rings, 1RU (19″ EIA) x 3.82″D, Black
808045768	Cable Management Panel, (5) - 1.7″H Plastic Rings, 1RU (19″ EIA) x 3.18″D, Black

FEED THROUGH CABLE MANAGEMENT PANELS



60400129



60400426



808044915



808044916

Part Number	Description
60400129	Feed Through Cable Management Panel, (5) - 1.7″H Rings and (4) 1″H X 2″W Cutouts, 1RU (19″ EIA) x 3.5″D, Black
60400426	Feed Through Cable Management Panel, (5) - 3″H Rings and (4) 2.75″H X 2.75″W Cutouts, 2RU (19″ EIA) x 4″D, Black
808044915	Feed Through Cable Management Panel, (4) - 2″H Rings and (24) - .9″W x 2.63″D Plastic Rings, 1RU (19″ EIA) x 4.06″D, Black
808044916	Feed Through Cable Management Panel, (5) - 3″H Rings and (4) 1.5″H X 2″W Cutouts, 2RU (19″ EIA) x 2″D, Black

BEND LIMITING CABLE MANAGEMENT



60400054



60400098



60400099



60400114



60400189

Part Number	Description
60400054	Bend Limiting Cable Management Panel, (4) - 7″H Rings and 1.34″H Waterfall, 4RU (19″ EIA) x 7″D, Black
60400098	Bend Limiting Cable Management Panel, (4) - 7″H Rings and 1.34″H Waterfall, 4RU (19″ EIA) x 4.5″D, Black
60400099	Bend Limiting Cable Management Panel, (4) - 3.5″H Rings and 1.34″H Waterfall, 2RU (19″ EIA) x 3.5″D, Black
60400114	Bend Limiting Cable Management Panel, (4) - 3.5″H Rings and 1.34″H Waterfall, 2RU (19″ EIA) x 6″D, Black
60400189	Bend Limiting Cable Management Panel, (4) - 1.7″H Rings and 1.5″H Waterfall, 1RU (19″ EIA) x 3.5″D, Black

CABLE ORGANIZERS



FCM-19-1



FCM-19-1SR



FCM-19-2SR



FCM-19-2SRC



FCM-19-1XL



FCM-19-2



FCM-19-2XL



FCM-19-4XL



HFM-19-1SR



HFM-19-1SRC



HFM-19-2SRC

Part Number	Description
FCM-19-1	Front Organizer, (2) - 1.75″W Rings and (24) - .9″ x 2.63″ Plastic Rings, 1RU (19″ EIA) x 3.75″D, Black
FCM-19-1SR	Front Organizer, (2) - 1.75″W Rings, (4) - 1″H Rings and (12) - .9″ x 2.63″ Plastic Rings, 1RU (19″ EIA) x 1.75″D, Black
FCM-19-1XL	Interbay Organizer, (4) - 1.5″H Rings, 1RU (19″ EIA) x 3.5″D, Black
FCM-19-2	Interbay Organizer, (4) - 1.75″W Rings and (4) - .9″H x 2.63″D Plastic Rings, 2RU (19″ EIA) x 3.75″D, Black
FCM-19-2SR	Front Organizer, (4) - 1.75″W Rings, (4) - 1.75″H Rings and (24) - .9″ x 2.63″ Plastic Rings, 2RU (19″ EIA) x 1.75″D, Black
FCM-19-2SRC	Front Organizer, (4) - 1.75″H Rings and (24) - .9″ x 2.63″ Plastic Rings, 2RU (19″ EIA) x 1.75″D, Black
FCM-19-2XL	Interbay Organizer, (4) - 3"H Rings, 1RU (19" EIA) x 3.5"D, Black
FCM-19-4XL	Interbay Organizer, (4) - 6.5″H Rings, 1RU (19″ EIA) x 3.5″D, Black
HFM-19-1SR	Combination Organizer, (4F/2R) - 1″H Rings, (2F) - 1.75″W and (12) - .9″W x 2.63″D Plastic Rings, 1RU (19″ EIA) x 1.75″D, Black
HFM-19-1SRC	Combination Organizer, (4F/2R) - 1″H Rings and (12) - .9″W x 2.63″D Plastic Rings, 1RU (19″ EIA) x 1.75″D, Black
HFM-19-2SRC	Combination Organizer, (4F/2R) - 1.75″W and (24) - .9″W x 2.63″D Plastic Rings, 2RU (19″ EIA) x 1.75″D, Black

FINGER DUCT CABLE MANAGEMENT PANELS



808000010



808044508



808044549



808045030

Part Number	Description
808000010	Finger Duct, Closed Cover, 1.5″H x 1.5″D, 1RU (19″ EIA), Black
808044508	Finger Duct, Closed Cover, 3″H x 1.5″D, 2RU (19″ EIA), Black
808044549	Finger Duct, Closed Cover, 3″H x 3″D, 2RU (19″ EIA), Black
808045030	Finger Duct, Double Sided Cable Manager, 3″H x 3″D Front and 2″H x 4″D Rear, 2RU (19″ EIA), Black

CABLE MANAGEMENT SUPPORT BAR



60400046



60400199



CMBFR0RU

Part Number	Description
60400046	Support Bar, Strain Relief, 1.5″D, 1RU (19″ EIA), Black
60400199	Support Bar, Bend Limiting and Strain Relief, 1″H x 2.5″D, 1RU (19″ EIA), Black
CMBFR0RU	Support Bar, Strain Relief, 4″D, 0RU (19″ EIA), Black

CABLE TIES AND STRAPS



70700144



VT-10



AS-VT*



VRCM-10

Part Number	Description
70700144	Velcro Straps, Plenum-Rated, 12″L x 0.5″W, 0.75″ - 3″ Grip Diameter
VT-10	Velcro Straps, 8″L, 10PK, Black
AS-VT-12-10 (12″L) AS-VT-18-10 (18″L)	Cable Strap Saddle, “Snap and Twist”, Various Strap Length, 10PK, Black
VRCM-10	Cable Strap Saddle, 1/4 Turn, 18″L Strap, 10PK, Black

CABLE RINGS



AS-CM-VP-143



AS-CM-VP-145



AS-CM-LC



CR-93S-1B



CR-93S-2B



CR-93S-4B

Part Number	Description
AS-CM-VP-143	Cable Ring, Plastic, 1.75″ x 3.5″, Rotatable, 0RU “Snap and Twist”, Black
AS-CM-VP-145	Cable Ring, Plastic, 3.5″ x 5″, Rotatable, 0RU “Snap and Twist”, Black
AS-CM-LC	Cable Claw, Plastic, 2.75″W X 4″L, 0RU “Snap and Twist”, Black
CR-93S-1B	Cable Ring, Metal, 0.91″W x 2.5″D, 2RU, Black
CR-93S-2B	Cable Ring, Metal, 2.19″W x 2.5″D, 2RU, Black
CR-93S-4B	Cable Ring, Metal, 2.19″W x 4.75″D, 2RU, Black

EQUIPMENT SUPPORT

Our cabinet shelving and drawers are built with heavy-duty construction to withstand high weight limits within a standard 19" rack. They offer a variety of options to meet any applications, with angles and depths for excellent equipment support.


FIXED SHELVES



ES-19-SDR2126F



ESV-19-SDR2732F



FS1S-19*



FS1V-19*



FS1V-23*



ESV-19-FMB

Part Number	Description
ES-19-SDR2126F	4 Point Fixed Shelf, Solid, 300 lbs. Load Capacity, 1RU (19" EIA) x 26", 21" - 26"D Rail to Rail, Black
ESV-19-SDR2732F	4 Point Fixed Shelf, Vented, 300 lbs. Load Capacity, 1RU (19" EIA) x 32", 27" - 32"D Rail to Rail, Black
FS1S-1920-2 (20"D) FS1S-1926-2 (26"D)	4 Point Fixed Shelf, Solid, 200 lbs. Load Capacity, 1RU (19" EIA) x Various Depths, Black
FS1V-1915-2 (15"D) FS1V-1918-2 (18"D) FS1V-1920-2 (20"D) FS1V-1922-2 (22"D) FS1V-1924-2 (24"D) FS1V-1926-2 (26"D) FS1V-1930-2 (30"D)	4 Point Fixed Shelf, Vented, 200 lbs. Load Capacity, 1RU (19" EIA) x Various Depths, Black
FS1V-2318-2 (18"D) FS1V-2324-2 (24"D) FS1V-2326-2 (26"D)	4 Point Fixed Shelf, Vented, 200 lbs. Load Capacity, 1RU (23" EIA) x Various Depths, Black
ESV-19-FMB	Cantilevered Fixed Shelf, Vented, 50 lbs. Load Capacity, 3RU (19" EIA) x 14"D, Black

ADJUSTABLE SHELVES



ES-19-FDR1520



ES-19-FDR2126



ES-19-FDR2732



ESV-19-FDR1520



ESV-19-FDR2126



ESV-19-FDR2732



604045075




604045081

Part Number	Description
ES-19-FDR1520	4 Point Adjustable Shelf, Solid, 300 lbs. Load Capacity, 2RU (19" EIA) x 15" - 20"D, Black
ES-19-FDR2126	4 Point Adjustable Shelf, Solid, 300 lbs. Load Capacity, 2RU (19" EIA) x 21" - 26"D, Black
ES-19-FDR2732	4 Point Adjustable Shelf, Solid, 300 lbs. Load Capacity, 2RU (19" EIA) x 27" - 32"D, Black
ESV-19-FDR1520	4 Point Adjustable Shelf, Vented, 300 lbs. Load Capacity, 2RU (19" EIA) x 15" - 20"D, Black
ESV-19-FDR2126	4 Point Adjustable Shelf, Vented, 300 lbs. Load Capacity, 2RU (19" EIA) x 21" - 26"D, Black
ESV-19-FDR2732	4 Point Adjustable Shelf, Vented, 300 lbs. Load Capacity, 2RU (19" EIA) x 27" - 32"D, Black
604045075	Cantilevered Adjustable Shelf, Vented, 85 lbs. Load Capacity, 3RU (19" EIA) X 20"D, Black
604045081	Cantilevered Adjustable Shelf, Vented, 85 lbs. Load Capacity, 3RU (19" EIA) X 24"D, Black


SLIDING SHELVES




ESV-19-FST*



SS1V-19*



SS2V-19*



SS3V-19*




SS1V-2326-2




SS2V-23*

Part Number	Description
ESV-19-FST1520	4 Point Sliding Shelf, Vented, 275 lbs. Load Capacity, 2RU (19" EIA) x 20"D, 15" - 20"D Rail to Rail, Black
ESV-19-FST2732	4 Point Sliding Shelf, Vented, 275 lbs. Load Capacity, 2RU (19" EIA) x 32"D, 27" - 32"D Rail to Rail, Black
SS1V-1922-2 (22"D) SS1V-1924-2 (24"D) SS1V-1926-2 (26"D)	4 Point Sliding Shelf, Vented, 150 lbs. Load Capacity, 1RU (19" EIA) x Various Depths, 24" - 30" Rail to Rail, Black
SS2V-1918-2 (18"D) SS2V-1920-2 (20"D) SS2V-1922-2 (22"D) SS2V-1924-2 (24"D) SS2V-1926-2 (26"D)	4 Point Sliding Shelf, Vented, 100 lbs. Load Capacity, 2RU (19" EIA) x Various Depths, 24" - 30" Rail to Rail, Black
SS3V-1926-2 (26"D) SS3V-1930-2 (30"D)	4 Point Sliding Shelf, Vented, 300 lbs. Load Capacity, 3RU (19" EIA) x Various Depths, 24" - 30" Rail to Rail, Black
SS1V-2326-2	4 Point Sliding Shelf, Vented, 150 lbs. Load Capacity, 1RU (23" EIA) x 26"D, 24" - 30" Rail to Rail, Black
SS2V-2318-2 (18"D) SS2V-2324-2 (24"D)	4 Point Sliding Shelf, Vented, 100 lbs. Load Capacity, 2RU (23" EIA) x Various Depths, 24" - 30" Rail to Rail, Black


CANTILEVERED SHELVES




CS*



CSV*



CS1-2312-2




CSV2-2315-2

Part Number	Description
CS1-2 CS2-2 CS3-3	Cantilevered Fixed Shelf, Solid, 50 lbs. Load Capacity, 1RU (19" EIA) x 12"D, Black Cantilevered Fixed Shelf, Solid, 50 lbs. Load Capacity, 2RU (19" EIA) x 12"D, Black Cantilevered Fixed Shelf, Solid, 100 lbs. Load Capacity, 3RU (19" EIA) x 15"D, Black
CSV1-2 CSV2-2 CSV3-2	Cantilevered Fixed Shelf, Vented, 50 lbs. Load Capacity, 1RU (19" EIA) x 12"D, Black Cantilevered Fixed Shelf, Vented, 50 lbs. Load Capacity, 2RU (19" EIA) x 12"D, Black Cantilevered Fixed Shelf, Vented, 100 lbs. Load Capacity, 3RU (19" EIA) x 15"D, Black
CS1-2312-2	Cantilevered Fixed Shelf, Solid, 50 lbs. Load Capacity, 1RU (23" EIA) x 12"D, Black
CSV2-2315-2	Cantilevered Fixed Shelf, Vented, 50 lbs. Load Capacity, 2RU (23" EIA) x 15"D, Black

KEYBOARD TRAYS AND UTILITY DRAWERS



KTF-19-DR



KTR-19-DR



UD*-1915-2

Part Number	Description
KTF-19-DR	Keyboard and Mouse Tray, Folding, 20.38"W, 2RU (19" EIA) x 7.13"D
KTR-19-DR	Keyboard and Mouse Tray, Fixed, 20.38"W, 3RU (19" EIA) x 12"D
UD2-1915-2 (2RU) UD4-1915-2 (4RU)	Utility Drawer, 50 lbs. Load Capacity, Various RU (19" EIA) x 15"D, Black

THERMAL MANAGEMENT

Legrand's Thermal Management Switch Ducts (TMSD) use airflow baffles to match cabinet airflow to equipment requirements. Network switches from leading manufacturers often employ "side to side" or even hybrid "side to side/front to rear" airflow for proper heat dissipation. This can create less than optimal operating conditions in data centers employing Hot Aisle/Cold Aisle cooling or aisle containment systems. Our line of engineered and field tested TMSDs ensure optimal operation and continuous availability of critical network equipment.

ADJUSTABLE SWITCH AIR DUCTS



AS-DCTS-01-0609



AS-DCTS-01-0812



AS-DCTS-01-1115



AS-DCTS-01-1623



AS-DCTS-02-0609



AS-DCTS-02-1115



AS-DCTS-02-0812



AS-DCTS-02-1623

Part Number	Description
AS-DCTS-01-0609	Switch Air Duct 1U Adjustable Depth 6" to 9", Brushed Cable Entry
AS-DCTS-01-0812	Switch Air Duct 1U Adjustable Depth 8" to 12", Brushed Cable Entry
AS-DCTS-01-1115	Switch Air Duct 1U Adjustable Depth 11" to 15", Brushed Cable Entry
AS-DCTS-01-1623	Switch Air Duct 1U Adjustable Depth 16" to 23", Brushed Cable Entry
AS-DCTS-02-0609	Switch Air Duct 2U Adjustable Depth 6" to 9", Brushed Cable Entry
AS-DCTS-02-0812	Switch Air Duct 2U Adjustable Depth 8" to 12", Brushed Cable Entry
AS-DCTS-02-1115	Switch Air Duct 2U Adjustable Depth 11" to 15", Brushed Cable Entry
AS-DCTS-02-1623	Switch Air Duct 2U Adjustable Depth 16" to 23", Brushed Cable Entry

FIXED SWITCH AIR DUCTS



AS-DCTA-CSCL2-BK




AS-DCTA-CSC2-BK




AS-DCTA-CSCS2-BK




AS-DCTA-CSCB2-BK



AS-DCTS-1761-BK



AS-DCTS-1762-BK



AS-DCTSX-1-0325



AS-DCTS-1T9-BK



AS-DCTSX-2T9-0543



AS-DCTSX-2T9-4368

Part Number	Description
AS-DCTA-CSCL2-BK	Switch Air Duct, Fixed, Solid w/ Perfed Cover, 2RU to 1RU (19″ EIA), 30″ - 36″ Rail to Rail, Black
AS-DCTA-CSC2-BK	Switch Air Duct, Fixed, Solid w/ Perfed Cover, 2RU to 1RU (19″ EIA), 24″ - 30″ Rail to Rail, Black
AS-DCTA-CSCS2-BK	Switch Air Duct, Fixed, Solid w/ Perfed Cover, 2RU to 1RU (19″ EIA), 16″ - 24″ Rail to Rail, Black
AS-DCTA-CSCB2-BK	Switch Air Duct, Fixed, Solid w/ Perfed Cover, 2RU to 1RU (19″ EIA), 16″ - 24″ Rail to Rail (Brocade), Black
AS-DCTS-1761-BK	Switch Air Duct, Fixed, Brushed Cable Entry, Detachable Cover, 1RU (19″ EIA) x 20.38″D, Black
AS-DCTS-1762-BK	Switch Air Duct, Fixed, Brushed Cable Entry, Detachable Cover, 2RU (19″ EIA) x 20.38″D, Black
AS-DCTSX-1-0325	Switch Air Duct, Fixed, Slotted, Brushed Cable Entry, Detachable Cover, 1RU (19″ EIA) x 20.38″D, Black
AS-DCTS-1T9-BK	Switch Air Duct, Fixed, Brushed Cable Entry, Adjustable Height 1RU - 9RU (19″ EIA), x 7.8″D Side/15″D Top and Bottom
AS-DCTSX-2T9-0543	Switch Air Duct, Fixed, Brushed Cable Entry, Adjustable Height (2RU - 9RU) x 30″D
AS-DCTSX-2T9-4368	Switch Air Duct, Fixed, Brushed Cable Entry, Adjustable Height (2RU - 9RU) x 24″D

CABLE GROMMETS



BCGFM3X9



BCGSM6X7

Part Number	Description
BCGFM3X9	Floor Tile Cable Grommet, Two Piece, Flush Mount, 3″ x 9″ Cable Opening, 5.25″ x 10.38″ Tile Opening MAX, 6.3″ X 12.8″
BCGSM6X7	Floor Tile Cable Grommet, Two Piece, Surface Mount, 6″ x 7″ Cable Opening, 7.5″ x 7.5″ Tile Opening MAX, 10″ X 10″ Overall

BLANKING PANEL



PA-*




PSF-*



PSFH-*



BFPT-*RU-10-W



BFPT-*RU-10

Part Number	Description
PA-1-2 (1RU) PA-2-2 (2RU) PA-3-2 (3RU) PA-4-2 (4RU) PA-5-2 (5RU) PA-6-2 (6RU) PA-7-2 (7RU) PA-8-2 (8RU) PA-9-2 (9RU) PA-10-2 (10RU) PA-11-2 (11RU) PA-12-2 (12RU)	Blanking Panel, Flat, Aluminum, Various RU (19″ EIA), Black
PSF-1-2 (1RU) PSF-2-2 (2RU) PSF-3-2 (3RU) PSF-4-2 (4RU) PSF-5-2 (5RU) PSF-6-2 (6RU)	Blanking Panel, Flanged, Steel, Various RU (19″ EIA), Black
PSFH-2-2 (2RU) PSFH-4-2 (4RU) PSFH-6-2 (6RU) PSFH-8-2 (8RU)	Blanking Panel, Flanged and Hinged, Steel, Various RU (19″ EIA), Black
BFPT-1RU-10 (1RU) BFPT-2RU-10 (2RU)	Blanking Panel, Tool-Less, Plastic, Various RU (19″ EIA), Black
BFPT-1RU-10-W (2RU) BFPT-2RU-10-W (2RU)	Blanking Panel, Tool-Less, Plastic, Various RU (19″ EIA), White

OVERHEAD RACKS

Legrand's overhead rack provides additional rack space above your existing cabinets when floor space is at a premium or for an easy top of rack cable patch. It easily installs to wire cable tray, tubular runway, or threaded rod. The racks are fully assembled and bonded, available in 2RU to 8RU, and black or white color options to match any installation. It also includes a three-piece waterfall to elegantly route cables down to the lower racks.

MOUNTING HARDWARE



MMOHR-*-B



MMOHR-*-W

Part Number	Description
MMOHR-2RU-B (2RU) MMOHR-3RU-B (3RU) MMOHR-4RU-B (4RU) MMOHR-5RU-B (5RU) MMOHR-6RU-B (6RU) MMOHR-7RU-B (7RU) MMOHR-8RU-B (8RU)	Mighty Mo Overhead Rack, Cable Tray, Runway and Threaded Rod Mountable, Fully Assembled Including Waterfall, Various RU, Black
MMOHR-2RU-W (2RU) MMOHR-3RU-W (3RU) MMOHR-4RU-W (4RU) MMOHR-5RU-W (5RU) MMOHR-6RU-W (6RU) MMOHR-7RU-W (7RU) MMOHR-8RU-W (8RU)	Mighty Mo Overhead Rack, Cable Tray, Runway and Threaded Rod Mountable, Fully Assembled Including Waterfall, Various RU, White

MOUNTING HARDWARE

Mounting hardware that is as reliable as your cabinet or rack, and enables your IT team to manage expensive equipment with ease. Ganging/Baying kits vary by cabinet platform. In order to ensure you get the product that is right for you, please call your sales representative or customer service representative for assistance.

INSTALLATION TOOLS



CN-TOOL



MAG-50



AKW-C*



SHM-4

Part Number	Description
CN-TOOL	Cage Nut Installation Tool, Simplifies and Speeds Up Installation of Equipment
MAG-50	Magnetic RU Label, Use During Installation then Remove, Covers One Rail, 50RU
AKW-C-375 (3/8″) AKW-C-500 (1/2″)	Wedge Anchor Kits, Red Head, Various Diameter x 3.75″L, 4PK
SHM-4	Shim Kit - 4″ x 4″ Steel Plates in Varying Thicknesses (10ea - .048″, .060″, .075″, .105″), 40 Total (2.88″H Total)

PANEL SCREWS



S1N-1032-50



S1B-1032-50



S3N-1224-50



S3B-1224-50



S1N-M6-50

Part Number	Description
S1N-1032-50	Panel Screw, 10-32 x 0.625" Phillips Truss Head, Nickel (50 Pack)
S1B-1032-50	Panel Screws, #10-32 x 5/8" Phillips Truss Head, 50PK, Black
S3N-1224-50	Panel Screws, #12-24 x 5/8" (1/2" Thread Length) Phillips Pilot Point, 50PK, Nickel
S3B-1224-50	Panel Screws, #12-24 x 5/8" (1/2" Thread Length) Phillips Pilot Point, 50PK, Black
S1N-M6-50	Panel Screws, M6-1.0 x 16mm (~5/8") Phillips Pan Head, 50PK, Zinc

CAGE NUTS



AS-CAGEN



CN12-1032-50



CN12-M6-50

Part Number	Description
AS-CAGEN	Cage Nuts, M6-1.0, Fit 3/8" Square Holes (.064" - .105" Thick Rails), Zinc
CN12-1032-50	Cage Nuts, #10-32, Fit 3/8" Square Holes (.093" - .120" Thick Rails), Zinc
CN12-M6-50	Cage Nuts, M6-1.0, Fit 3/8" Square Holes (.105" - .120" Thick Rails), Zinc

GROUNDING KITS

Ensure safety and compliance with industry-standard grounding kits. With multiple mounting locations and a wide selection, choose the right grounding kit solution for your application.

GROUNDING KITS



CBBH-*



CBIH-*



C-ISO-63



GRD-G-*



HD-GND-LUG



ISO-B-*

Part Number	Description
CBBH-19 (Non-Isolated) CBIH-19 (Isolated)	Copper Buss Bar, Horizontal, Non-Isolated or Isolated, 1/4" Thick X 1"H, 1RU (19" EIA)
CBBH-23 (Non-Isolated) CBIH-23 (Isolated)	Copper Buss Bar, Horizontal, Non-Isolated or Isolated, 1/4" Thick X 1"H, 1RU (23" EIA)
C-ISO-63	Cherry Isolators, Threaded for 5/8"-11 Rod (Hardware Not Included)
GRD-G-DL-6 (6") GRD-G-DL-10 (10") GRD-G-DL-12 (12") GRD-G-DL-14 (14") GRD-G-DL-16 (16") GRD-G-DL-18 (18") GRD-G-DL-24 (24") GRD-G-DL-36 (36") GRD-G-DL-48 (48")	Ground Strap, #6 AWG, Cotton Jacketed w/ 1/4" Double Lug Connects (Both Ends), Hardware Included, Various Lengths, Green
HD-GND-LUG (Single) HD-GND-LUG-2W (Double)	Ground Lug, Single or Double Wire Terminal(s) w/ Set Screw(s), 14 AWG - 6 AWG Stranded Wire Range, UL Listed up to 600V
ISO-B-38 (3/8") ISO-B-50 (1/2")	Isolation Bushings, Nylon, Various Diameter, 4PK, White

Need more information or
want to place an order?

Order Today

www.legrand.us/markets/data-center/cabinets/contact-us

Legrand Cabinets & Containment
200 Finn Court, Farmingdale NY 11735

FOLLOW US

©2021 Legrand All Rights Reserved - V1277r2.1.2